

Network Video Recorder

NVR201EP Series




Key Features

- 4/8-channel input
- Third-party IP cameras supported with ONVIF conformance
- HDMI and VGA output up to 1080P
- Up to 4 Megapixels resolution recording
- Accurate retrieval, instant playback
- 1 SATA HDD up to 6 TB
- Plug & Play with 4/8 independent PoE network interfaces
- Support for P2P, UPnP, NTP, DHCP, PPPoE
- Support for mobile client access


Specifications

| | NVR201-04EP | NVR201-08EP |
|-------------------------------------|--|--|
| Video and Audio | | |
| IP Video Input | 4-ch | 8-ch |
| Two-way audio Input | 1-ch,RCA | |
| Network | | |
| Incoming bandwidth | 40Mbps | 80Mbps |
| Outgoing bandwidth | 96Mbps | |
| Remote connection | 128 | |
| Video/Audio Output | | |
| HDMI/VGA Output | HDMI/VGA: 1920x1080p /60Hz,1920x1080p /50Hz,1600x1200/60Hz,1280x1024/60Hz,1280x720/60Hz,1024x768/60Hz | |
| Recording Resolution | 4MP/3MP/1080p/960p/720p/D1/2CIF/CIF | |
| Audio Output | 1-ch,RCA | |
| Synchronous Playback | 4-ch | |
| Decoding | | |
| Compression | H.264 | |
| Live view/Playback | 4MP/3MP/1080p/960p/720p/D1/2CIF/CIF | |
| Capability | 2 x 4MP@20, 4 x 1080p@30 | 2 x 4MP@20,4 x 1080p@25, 8 x 720p@25 |
| Hard Disk | | |
| SATA | 1 SATA interface | |
| Capacity | up to 6TB for each disk | |
| External Interface | | |
| Network Interface | 1 RJ-45 10M/100M/1000Mself-adaptive Ethernet Interface | |
| Network Function | HTTP, TCP/IP, IPV4, UPNP, RTSP, UDP, SMTP, NTP, DHCP, DNS,IP Filter, PPPOE, DDNS, FTP, IP Server, P2P | |
| USB Interface | Rear panel: 1 x USB2.0, 1 x USB3.0 | |
| PoE | | |
| Interface | 4 independent 100 Mbps PoEnetwork interfaces | 8 independent 100 Mbps PoEnetwork interfaces |
| Supported Standard | IEEE 802.3at | |
| General | | |
| Power Supply | 48V DC | 52V DC |
| Consumption (without HDD and PoE) | ≤8 W | |
| Working Temperature | -10°C ~ + 55°C (+14°F ~ +131°F) | |
| Working Humidity | 10% ~ 90% | |
| Dimensions | 44 × 360 × 254mm (1.7" × 14.2" × 10.0") | |
| Weight (without HDD) | ≤1.42 Kg (3.13 lb) | |


Dimensions



Rear Panel



NVR201-04EP



NVR201-08EP

Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: overseasbusiness@uniview.com; globalsupport@uniview.com

<http://www.uniview.com>

©2011-2016 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

*Product specifications and availability are subject to change without notice.